Volume 196 1988

Contents

Letters to the Editor

SEST CO ($J=1$-0) observations of carbon-rich circumstellar envelopes
Olofsson, H., Eriksson, K., Gustafsson, B. L1

Carbon monoxide in proto-planetary nebulae
Bachiller, R., Gómez-González, J., Bujarrabal, V., Martín-Pintado, J. L5

The rapidly evolving source OH 5.89-0.39: H II region or proto-planetary nebula?
Zijlstra, A.A., Pottasch, S.R. L9

A variable white dwarf on its route to chaos?
Goupil, M.J., Auvergne, M., Baglin, A. L13

The molecular content of Messier 81
Brouillet, N., Baudry, A., Combes, F. L17

Cosmology

Homogeneous self-gravitating flows
Alecian, G., Léorat, J. 1

The value of H_0 from the infrared Tully-Fisher relation
Bottinelli, L., Gouguenheim, L., Teerikorpi, P. 17

Extragalactic astronomy

Stellar photometry and inclination of the nearest edge-on galaxy NGC 55
Kiszkurno-Koziej, E. 26

The extremely low oxygen abundance of GR 8: a very low luminosity dwarf irregular galaxy
Skillman, E.D., Melnick, J., Terlevich, R., Moles, M. 31

Effects of galactic absorption on soft X-ray surveys
Zamorani, G., Gioia, I.M., Maccacaro, T., Wolter, A. 39

A method for determining the relative importance of the continuous acceleration process for cosmic rays
Giler, M., Wdowczyk, J., Wolfendale, A.W. 44

VLA Observations of B2 quasars. III. Discussion of the radio morphologies
Padrielli, L., Rogora, A., de Ruiter, H.R. 49

Optical and far-IR luminosity functions of Markarian galaxies
Xu, C., De Zotti, G., Franceschini, A., Danese, L. 59

Distribution of relativistic particles behind magnetized mixed shocks. Application to synchrotron radio sources
Pelletier, G., Roland, J. 71

Erratum: Chemical evolution of elliptical galaxies
Matteucci, F., Tornambè, A. 341

Formation, structure and evolution of stars

Integrated colours and ages of LMC clusters: the nature of the bimodal distribution of the (B–V) colours
Chiosi, C., Bertelli, G., Bressan, A. 84

The multimode red semi-regular variable Z Sge
Mantegazza, L. 109

The atmospheric structure, stellar wind and binary characteristics of the hypergiant HR 8752 (G0–5 Ia^+)
Piters, A., de Jager, C., Nieuwenhuijzen, H. 115

Absolute dimensions of eclipsing binaries. XIII. AI Phoenicis: a case study in stellar evolution
Andersen, J., Clausen, J.V., Gustafsson, B., Nordström, B., VandenBerg, D.A. 128

Hydrodynamical models and the light curve of Supernova 1987A in the Large Magellanic Cloud
Shigeyama, T., Nomoto, K., Hashimoto, M. 141

Dynamical instability of a Keplerian disk; dependence on azimuthal wave number, Mach number, and the size of the disk
Hanawa, T. 152

Precise Fourier decomposition parameters for classical Cepheids
Andreasen, G.K. 159

IRAS low resolution spectra of cool carbon stars. IV. A scenario for carbon star evolution
Willems, F.J., de Jong, T. 173

Is there a coherent radiation component in the radio emission of SS 433?
Rand, R.J., Kulkarni, S.R., Backer, D.C., Clifton, T.R. 185

Deep imaging, photometry and spectroscopy of the field of PSR 1055-52
Bignami, G.F., Caraveo, P.A., Vacanti, G. 191

Stellar atmospheres

Erratum: Model study of wavelength-dependent limb-darkening and radii of M-type giants and supergiants
Scholz, M., Takeda, Y. 342

Diffuse matter in space (including HII regions and planetary nebulae)

The relative distribution of NH_3, HC_7N and C_4H in the Taurus Molecular Cloud 1 (TMC 1)
Olano, C.A., Walmsley, C.M., Wilson, T.L. 194

Production of molecular hydrogen by cosmic rays in interstellar clouds: A relevant process?
Pirronello, V., Averna, D. 201

A hot ammonia cloud in front of Sgr B2: A possible local outburst?
Gardner, F.F., Boes, F., Winnewisser, G. 207

Spectral index variations of the galactic radio continuum emission: evidence for a galactic wind
Reich, P., Reich, W. 211

The IR morphology of the proto-planetary nebula M 2–9
Aspin, C., McLean, I.S., Smith, M.G. 227

(RN) A newly identified planetary nebula in Aquila
Lundström, I., Stenholm, B., Acker, A. 233

IRAS study of the Serpens molecular cloud. II. The Serpens core
Zhang, C.Y., Laureijs, R.J., Clark, F.O. 236

Neutral hydrogen associated with the high latitude cloud L 1642
Liljeström, T., Mattila, K. 243

Search for polarization of the 3.3 and 11.3 μm interstellar emission features
Sellgren, K., Rouan, D., Léger, A. 252

Search for an excess rotation measure in the shell around the Eridanus cavity
Vallée, J.P., MacLeod, J.M., Broten, N.W. 255

(RN) The nature of the Wolf-Rayet nebula NGC 3199
Whitehead, M.J., Meaburn, J., Goudis, C.D. 261

The Sun

(RN) Magnetic field strength in solar flux tubes: A model atmosphere independent determination
Sánchez Almeida, J., Solanki, S.K., Collados, M., del Toro Iniesta, J.C. 266

The center-to-limb variation on solar chromospheric and transition lines, and the effect of roughness of emitting layers
Pecker, J.-C., Dumont, S., Mouradian, Z. 269

The solar system

A physical model for thermal emission from the zodiacal dust cloud
Deul, E.R., Wolstencroft, R.D. 277

Scattering of polarized light: properties of the elements of the phase matrix
Hovenier, J.W., van der Mee, C.V.M. 287

Thermal structure of the Martian mesosphere
Rothermel, H., Käufl, H.U., Schrey, U., Drapatz, S. 296

Celestial mechanics and astrometry

Atmospheric and internal refraction in meridian observations
Høg, E., Fabricius, C. 301

Physical and chemical processes

The thermal evolution of the jets in SS 433
Brinkmann, W., Fink, H.H., Massaglia, S., Bodo, G., Ferrari, A. 313

Synchrotron radiation in a thermal plasma with large-scale random magnetic fields
Crusius, A., Schlickeiser, R. 327

Instruments, data processing, and computational methods

AIT-MCP-speckle camera observations of the multiple-star cluster R 136
Neri, R., Grewing, M. 338